Indirect Plumbing at Dishwashing and Food Preparation Sinks



an indirect connection to the sewer to prevent sewage from Dishwashing and or food preparation sinks are required to have backing up into them.



an establishment is closed. Such a back up can contaminate A sewage backup can go unnoticed especially if it occurs when the sink and any food or equipment placed in the sink leading to Illness.



Sewage backups can occur as a result of pressure changes in the water lines due to a water main break, waterline flushing or the use of a fire hydrant to fight a fire.



When adequate plumbing modifications are made any sewage backing up in the establishment will spill onto the floor nstead of contaminating food and or food contact surfaces

compartment sink. only on a three compartment sink the same modifications can also be made at an one compartment or two The illustrations below demonstrate several options to indirectly plumb a sink. Although they are shown

Illustration 1: Indirect drainage into a floor sink is a preferred option.




Illustration 2: Indirect drainage to three bell reducers.

The compartments must be drained slowly to reduce overflow and splash onto the floor.





Illustration 3: Indirect drainage to one bell reducer.

The compartments must be drained slowly to reduce overflow and splash onto the floor.



appliance. *An air break is an interruption in the pipe that prevents sewage from flowing backwards into a sink basin or

mantenance person prior to making changes. building departments as well as a licensed plumber or experienced repair or As you would with any renovation project, consult your local health and

Indirect plumbing protects food, utensils, protects food, trom and equipment from sewage contamination.

approved by the Department provided public health is protected. Adequate documentation must be provided to constraints, conflicts with the plumbing code, or building ownership, direct plumbing to the sewer system may be If a true economic hardship exists or if the modifications described are too difficult to implement due to space upport these claims and written proof of approval must be maintained on-site at all times.